

design made in germany

Wilkhahn

# Confair®.

440 range. Technical details.

## Function

Mobile, modular furniture range for multi-functional communication environments with dynamic, self-organized teamwork.

## Mobile desk

### Frame

Polished die-cast aluminium base. Black polyamide castors and glides. Oval aluminium profile column, clear anodized or coated in black or silver satin finish.

### Writing tablet

Birch plywood, fixed to column with tilt/fold function. Back and front edge of desk top finished with a raised, black polypropylene lipping.

## Finishes

### Desk top group 1 – laminate

Top thickness 11 mm ( $\frac{3}{8}$ " )  
Laminate according to Wilkhahn colour and surface finish samples. Edging, natural oiled finish.

### Desk top group 2 – veneer

Top thickness 11 mm ( $\frac{3}{8}$ " )  
Variation 1:  
Beech, oak or ash veneer according to Wilkhahn woodstain colour samples.  
Variation 2:  
Maple, cherry, walnut or elm veneer, as well as Wilkhahn veneer Mocca according to Wilkhahn woodstain colour samples.

### Veneer version

As a standard, veneers are processed by slip-match method onto the table top. Surfaces sealed with clear lacquer: Open-pore: oak, ash, walnut and elm veneer, as well as Wilkhahn veneer Mocca. Closed-pore: maple, beech and cherry veneer. Some specific growth features possible.

### Accessories

Four-wheeled trolley

## Server

### Frame

Die-cast aluminium base, polished or coated in black or silver satin finish, with four twin wheel swivel castors in black polyamide. Aluminium profile column and cable management cover, clear anodized or coated in the same colour as the base. Black polypropylene handle.

### Top shelf and box brackets

Die-cast aluminium, coated black.

### Top shelf

One-piece sheet steel with black textured coating. The server for slide projection has an adjustable tilt function.

### Box

Base: one-piece sheet steel with black textured coating. Birch plywood body and front.

### Accessories

Box divider: five-part set in black polypropylene to divide up the inside in different ways.

### Cable management box

Base: one-piece sheet steel with black textured coating. Birch plywood body and front, with socket fitting concealed by a steel bracket with black textured coating.

### Box with drawer

Birch plywood body and front. Base: one-piece sheet steel with black textured coating. Solid beech drawer with natural finish, on steel runners. Internal measurements of drawer 37 x 37 cm ( $14\frac{5}{8}$ " x  $14\frac{5}{8}$ " ). Lid in one-piece sheet steel with black textured coating.

### Accessories

Five-part set of black, polypropylene drawer dividers to divide up the inside in different ways.

## Body group 1 – laminate

Top thickness 12 mm ( $\frac{1}{2}$ " )  
Surfaced with laminate. Laminate according to Wilkhahn colour and surface finish samples. Lipping, natural oiled finish.

## Body group 2 – veneer

Top thickness 12 mm ( $\frac{1}{2}$ " )  
Variation 1:  
Beech, oak or ash veneer according to Wilkhahn woodstain colour samples.  
Variation 2:  
Maple, cherry, walnut or elm veneer, as well as Wilkhahn veneer Mocca according to Wilkhahn woodstain colour samples.

## Veneer version

As a standard, veneers are slip-matched onto the table top. Surfaces sealed with clear lacquer: Open-pore: oak, ash, walnut and elm veneer, as well as Wilkhahn veneer Mocca. Closed-pore: maple, beech and cherry veneer. Some specific growth features possible.

## Please note:

Maximum load capacity with even weight distribution: 60 kg in total for server, 20 kg each for top shelves, boxes and cable management box, and 20 kg for box with drawer – max. 6 kg inside drawer.

## 440 range Confair™

Page 2 of 3

### Lectern

#### Frame

Similar to server, but with two twin wheel swivel castors and two glides in black polyamide.

#### Lectern top

Birch plywood, front finished with raised, black polypropylene lipping.

### Surfaces

#### Group 1 – laminate

Top thickness 11 mm ( $\frac{3}{8}$ " )  
Laminate according to Wilkhahn colour and surface finish samples.  
Lipping, natural oiled finish.

#### Group 2 – veneer

Top thickness 11 mm ( $\frac{3}{8}$ " )  
Variation 1:  
Beech, oak or ash veneer according to Wilkhahn woodstain colour samples.  
Variation 2:  
Maple, cherry, walnut or elm veneer, as well as Wilkhahn veneer Mocca according to Wilkhahn woodstain colour samples.

#### Veneer version

As a standard, veneers are slip-matched onto the table top.  
Surfaces sealed with clear lacquer:  
Open-pore: oak, ash, walnut and elm veneer, as well as Wilkhahn veneer Mocca.  
Closed-pore: maple, beech and cherry veneer.  
Some specific growth features possible.

#### Front panel

Perforated steel in black or silver satin finish.  
Unperforated upper edge for company logos max. 115 x 426 mm ( $4\frac{1}{2}$ " x  $16\frac{3}{4}$ " ).

#### Accessories

Additional shelf, width 45 cm ( $17\frac{3}{4}$ " ), depth 35 cm ( $13\frac{3}{4}$ " ).

### Pinboard / Whiteboard

#### Stand

Feet in polished die-cast aluminium.  
Glides in black polyamide. Frame optionally with four lockable black castors.

#### Frame

Aluminium profile sides and braces, clear anodized or coated in silver satin finish or black.

#### Board cover pinboard

Double-sided, grey felt covering.  
With anthracite polyether foam pinstrip.

#### Board cover whiteboard

One side covered in grey felt, one side in white enamelled sheet steel, suitable for magnets, can be dry wiped and used as a projection screen.

#### Accessories

Four-wheeled trolley  
Whiteboard starter kit

### Flipchart

#### Frame

Model 442/1  
Foldable, three-legged easel in aluminium profile, bright chromium-plated, clear anodized or coated in black or silver satin finish. Hinges and glides in black polyamide.  
Frame optionally with three castors in black, rear castor lockable (with this version, the frame is not foldable).


Writing panel in MDF with concealed lipping in beech laminate. Thickness 13 mm ( $\frac{1}{2}$ " ), surfaced with laminate (colour 24/82), height-adjustable in three positions; removable. Two pins to hold standard flipchart paper; with black polyamide paper holder. Aluminium profile pentray, clear anodized or coated in the same colour as the frame.

## 440 range Confair™

Page 3 of 3




**Model**  
441/1 Mobile desk  
On castors; with pivotable top for compact storage; desk top with tilt function; integral pen tray and edge profile.  
46 x 45, H 73  
(18 1/8" x 17 3/4", H 28 3/4")




**Model groups**  
445 and 446 Server  
Mobile, versatile accessories for catering, material for interactive sessions or presentation media.  
46 x 59 (18 1/8" x 23 1/4")  
(overhead 91 (35 7/8")),  
H 96/107 (H 37 3/4" / 42 1/8")





**Model**  
448/9 Lectern  
Mobile, with desk top (optionally with additional shelf), and modesty panel in coated, perforated steel; space for company logo.  
46 x 51, H 106/115  
(18 1/8" x 20 1/8", H 41 3/4" / 45 1/4")



**Model**  
442/1 Flipchart  
Foldable, with removable writing panel with three adjustable height positions, steel pins and black holder for paper pads, and pen tray.  
75 x 67, H 180/200  
(29 1/2" x 26 3/8", H 70 7/8" / 78 3/4")



**Model group**  
443 Pinboard/Whiteboard  
Compact storage; double-sided board cover in grey felt. Whiteboard with enamelled sheet steel, for use of magnets and pens, with clamp-on pinstrip.  
125 x 54, H 190  
(49 1/4" x 21 1/4", H 74 3/4")




**Model group**  
440 Confair folding tables  
Boat-shaped, 90/110 x 260, H 73 (35 3/8" / 43 1/4" x 102 3/8", H 28 3/4")  
Rectangular, 90–120 x 180–300, H 73  
(35 3/8" – 47 1/4" x 70 7/8" – 118 1/8", H 28 3/4")  
Accessories: snap connectors for linking rectangular folding tables.

Additional accessories, customized versions and power supply options on request.

All dimensions in cm (inches).

Subject to technical change without notice.



## Confair® folding table.

440 range. Technical details.

### Function

Moveable, collapsible and linkable table range for flexible, dynamic use of conference and communication areas. Just one single step is required to open out or collapse up to three metre long, barrel-shaped or rectangular tables. The tables can also be linked to form conference systems using table-table connectors. Large-sized wheels allow the tables to be transported in buildings and come complete with a locking brake. As a result, minimum cost and effort is required to manage conference spaces. Ideal for multi-purpose conference interiors in high quality design. Alternatively as a wild card in combination with the Logon table range for conference spaces with a variety of partition options, or with Timetable for sophisticated training and seminar spaces.

### Frame

Die-cast aluminium foot sections, bright chromium-plated, polished or coated in silver satin finish or black. Aluminium profile uprights and frames, clear anodized or coated in the same colours as the foot sections. With bright chromium-plated foot sections the uprights are coated black. Black polyamide lockable castors.

### Core material of table top

Laminboard with bullnose double, concealed lipping with integrated impact-resilient profile in black elastomer. Straight version of table top without any profile along central joining edge.

### Table top group 1 – veneer

Thickness 26 mm (1")  
Laminate according to Wilkhahn colour and surface finish samples with laminated beech lipping, natural oiled finish.

### Table top group 2 – veneer

Thickness 26 mm (1")  
Variation 1:  
Beech veneer according to Wilkhahn woodstain colour samples with laminated beech lipping or oak, or ash veneer according to Wilkhahn woodstain colour samples with lipping, as far as possible in the same colour as the veneer.  
Variation 2:  
Maple, cherry, elm or walnut veneer, as well as Wilkhahn veneer Mocca according to Wilkhahn woodstain colour samples with lipping, as far as possible in the same colour as the veneer.

### Veneer types

As a standard, veneers are slip-matched method onto the table top.  
The surfaces are sealed with clear lacquer: Open-pore: oak, ash, walnut and elm veneer, as well as Wilkhahn Mocca veneer. Closed-pore: maple, beech and cherry veneer.  
Some specific growth features possible.

### Table top group 3 – linoleum

Table top thickness 27 mm (1 1/8").  
Linoleum according to Wilkhahn linoleum colour samples, laminated beech lipping, natural oiled finish.

### Accessories

#### Single table portal

Hinged cover in the same colour and material as the table top surface with brush strip for cable exit. Aperture with real wood lipping, as far as possible in the same colour as the table top.  
Hinge allows 180° opening angle.  
Single table portal: 350 x 150 mm (13 3/4" x 5 7/8").  
Linoleum on request.

#### Standards


The Confair folding tables comply with ANSI/BIFMA X 5.5.

**In addition to standard versions, a variety of customized options are available. Forms, dimensions, surfaces and prices on request.**

**When placing repeat orders, please indicate whether your table tops have slip-matched or book-matched veneer.**

**Please note:  
The lengths increase in increments of 10 cm. (3 7/8")  
In-between sizes on request.**

### Edge profiles



Standard version:  
Bullnose double with integral, impact-resilient profile

Alternatively:  
Straight with integral, impact-resilient profile