

## Modus Basic-Line™.

26 range. Technical details.

### Function

Swivel chairs with backrest shell and automatic synchro-adjustment: the seat/backrest angle adjusts automatically to the sitting position of the user. When leaning back, the backrest tension increases according to the need for additional support. Infinitely variable tension adjustment for the user. Forward position lockable by engaging lever. Gas lift, conforming to DIN 4550, for infinitely variable adjustment of seat height.

Swivel conference/visitor chairs with automatic synchro-adjustment, without front locking position, with fixed seat height. Model 266/7 also available as a four-legged visitor chair.

### Frame

#### Swivel, conference and visitor chairs

Die-cast aluminium star base, coated, polished or bright chromium-plated. Twin wheel swivel castors in black polyamide with load-dependent braking, conforming to DIN EN 12529, as the standard version for carpeted floors, or with a grey polyurethane soft lining for hard floors. Anti-static castors on request. Glides in black polyamide as the standard version for carpeted floors, or in black polyurethane for hard floors. Die-cast aluminium swing plates, coated to match the star base, polished or bright chromium-plated. Synchro-mechanism case in sheet steel, coated black.

#### Visitor chair, four-legged

Legs in oval aluminium tube, bright chromium-plated, clear anodized or coated. Black polyamide glides as the standard version for carpeted floors, or in black polyurethane for hard floors, on request with an additional felt insert.

### Seat

Seat shell in black, viscoelastic polypropylene. Seat upholstery: one-piece moulded polyurethane foam with exchangeable cover. Side facing: black polyamide for fabric cover and embossed leather in the same colour for leather cover.

### Backrest

#### Swivel chairs and visitor chairs

Backrest shell in black through-dyed, viscoelastic polypropylene with exchangeable back cushion in covered, cut foam. On request, with integral, adjustable lumbar support.

### Armrests

#### Swivel chairs and visitor chairs

Armrests in black, glass fibre-reinforced polyamide. Swivel chairs 263/7 optionally with height adjustable armrests in the same material.

#### Visitor chairs, four-legged

Armrests in black, glass fibre-reinforced polypropylene.

### Standards

Modus Basic swivel chairs and conference chairs/visitor chairs conform to the Office Chair Standard DIN EN 1335, ANSI/BIFMA X 5.1, BS 5459 and other international office chair standards. They meet the requirements of category B of the Office Chair Standard DIN EN 1335.

Modus four-legged visitor chairs conform to DIN 68878 – 1 and ANSI/BIFMA X 5.1.



## 26 range Modus Basic™

Page 2 of 2

- Standardausstattung
- optionale Ausstattung



### Frame


Coated	●	●	●	●	●
Polished aluminium	●	●	●	●	●
Bright chromium-plated	●	●	●	●	●
Clear anodized					●
Matt chromium-plated					●

### Upholstery

Backrest with black stretch material, semi-transparent					
Backrest with black stretch material, non-transparent	●	●			●
Backrest with stretch material, with cushion	○	○			○
Outer side of backrest covered	●	●	●	●	●
Fabric cover	●	●	●	●	●
Leather cover	●	●	●	●	●
Slim, leather-covered cushion					

### Features

Armrests in polyamide / polypropylene, black		●		●	●
Armrests polished					
Armrests bright chromium-plated					
Armrests with leather pad					
Armrests with laminated wood pad					
Height-adjustable armrests		○			
Height-adjustable lumbar support	○	○			



## Modus® Compact.

27 range. Technical details.

### Function

Swivel chairs with frame covering and automatic synchro-adjustment: the seat/backrest angle adjusts automatically to the sitting position of the user. When leaning back, the backrest tension increases according to the need for additional support. Infinitely variable tension adjustment for the user. Forward position lockable by engaging lever. Gas lift, conforming to DIN 4550, for infinitely variable adjustment of seat height.

Conference chairs/visitor chairs, swivel, with automatic synchro-adjustment, without front locking position, with fixed seat height, alternatively also available in a four-legged version or in a cantilever version, optionally stackable.

### Frame

#### Swivel, conference and visitor chairs

Die-cast aluminium star base, coated, polished or bright chromium-plated. Twin wheel swivel castors in black polyamide with load-dependent braking, conforming to DIN EN 12529, as the standard version for carpeted floors, or with a grey polyurethane soft lining for hard floors. Anti-static castors on request. Glides in black polyamide as the standard version for carpeted floors, or in black polyurethane for hard floors. Die-cast aluminium swivel plates, coated to match the star base, polished or bright chromium-plated. Synchro-mechanism case in sheet steel, coated black.

#### Visitor chair, four-legged:

Legs in oval aluminium tube, bright chromium-plated, clear anodized or coated. Black polyamide glides as the standard version for carpeted floors, or in black polyurethane for hard floors, optionally with additional felt insert.

#### Cantilever chairs

Steel tube frame, bright chromium-plated, matt chromium-plated or coated, with anti-tilt stoppers as the standard version for carpeted floors: with additional glides for hard floors, optionally with additional felt insert. The stackable version is available with a bright chromium-plated frame only.

### Seat

Seat shell in black, viscoelastic polypropylene. Seat upholstery: one-piece moulded polyurethane foam with exchangeable cover. Side facing: black polyamide for fabric cover and embossed leather in the same colour for leather cover.

### Backrests

#### Swivel, conference and visitor chairs

Frame in black, glass fibre-reinforced polyamide. Exchangeable frame covering in black polyamide fabric, non-transparent or semi transparent. Non-transparent material optionally covered on the front and with cut foam underlay. Standard and medium-height backrest with a crescent shaped grip covered in black embossed leather for fabric cover; in the same colour leather for leather cover. High backrest with a shoulder support with a forward curvature, covered in embossed leather for fabric cover; in the same colour leather for leather cover. Backrests of swivel chairs 273, 274 and 275 optionally with integral, adjustable lumbar support (not possible for version with semi transparent material).

#### Cantilever chairs

Frame in steel tube, bright chromium-plated, matt chromium-plated or coated. Exchangeable frame covering in black polyamide fabric, non-transparent or semi transparent. Non-transparent material optionally covered on the front and with cut foam underlay. Cantilever chairs 277/7 and 279/7 with a crescent shaped grip in black polypropylene; version with semi transparent material with a crescent shaped grip covered in black embossed leather for fabric or leather cover. Covered backrest with crescent shaped grip in black embossed leather for fabric cover; in the same colour leather for leather cover.

### Armrests

#### Swivel, conference and visitor chairs

Armrests in black, glass fibre-reinforced polyamide, optionally height adjustable.

#### Visitor chairs, four-legged

Armrests in black, glass fibre-reinforced polypropylene.

#### Cantilever chairs

Armrest pads in black polypropylene or laminated beech, natural finish.

### Standards

Modus Compact swivel chairs and conference chairs/visitor chairs conform to the Office Chair Standard DIN EN 1335, ANSI/BIFMA X 5.1, BS 5459 and other international office chair standards. They meet the requirements of category B of the Office Chair Standard DIN EN 1335.

Modus cantilever chairs and four-legged visitor chairs conform to DIN 68878 – 1 and ANSI/BIFMA X 5.1.



## 27 range Modus Compact™

Page 2 of 2



- Standard feature
- Optional feature

### Frame


Coated	●	●	●	●
Polished aluminium	●	●		
Bright chromium-plated	●	●	●	●
Clear anodized			●	
Matt chromium-plated				●

### Upholstery

Backrest with black stretch material, semi-transparent	○	○	○	○
Backrest with black stretch material, non-transparent	●	●	●	●
Backrest upholstered on the front	○	○	○	○
Backrest covered on outer side	○	○	○	○
Fabric cover	●	●	●	●
Leather cover	●	●	●	●
Slim, leather-covered cushion				

### Features

Armrests in polyamide / polypropylene, black	●	●	●	●
Armrests polished				
Armrests bright chromium-plated				
Armrests with leather pad				○
Armrests with laminated wood pad				○
Height-adjustable armrests	○			
Height-adjustable lumbar support	○			



## Modus® Medium.

28 range. Technical details.

### Function

Swivel chairs with backrest with stretch material and automatic synchro-adjustment: the seat/backrest angle adjusts automatically to the sitting position of the user. When leaning back, the backrest tension increases according to the need for additional support. Infinitely variable tension adjustment for the user. Forward position lockable by engaging lever. Gas lift, conforming to DIN 4550, for infinitely variable adjustment of seat height. Swivel conference/visitor chairs with automatic synchro adjustment and infinitely variable height adjustment, optionally with rigid, four-arm seat bearer; alternatively also as a cantilever version.

### Frame

#### Swivel chairs

Die-cast aluminium star base, coated, polished or bright chromium-plated. Conference/visitor chairs with four-star base in die-cast aluminium, coated, polished or bright chromium-plated. Twin wheel swivel castors in black polyamide with load-dependent braking, conforming to DIN EN 12529, as the standard version for carpeted floors, or with a grey polyurethane soft lining for hard floors. Anti-static castors on request. Glides in black polyamide as the standard version for carpeted floors, or in black polyurethane for hard floors. Die-cast aluminium swing plates, coated to match the star base, polished or bright chromium-plated. Synchro-mechanism case in sheet steel, coated black.

#### Conference chairs/visitor chairs

Model 281/5 and 282/5 with four-arm seat bearer in die-cast aluminium, coated in the same colour, polished or bright chromium-plated to match star base.

#### Cantilever chairs

Steel tube frame, bright chromium-plated, matt chromium-plated or coated, with anti-tilt stoppers as the standard version for carpeted floors: with additional glides for hard floors, optionally with additional felt insert.

#### Seat

Seat shell in black, viscoelastic polypropylene. Seat upholstery: one-piece moulded polyurethane foam with exchangeable cover. Side facing: black polyamide for fabric cover and embossed leather in the same colour for leather cover.

### Backrests

#### Swivel and conference chairs

Frame in black, glass fibre-reinforced polyamide. Exchangeable frame covering in black polyamide material, non-transparent or semi-transparent, non-transparent version with underpadding. Non-transparent material optionally additionally covered on the front and with cut foam underlay. Standard backrest with a crescent shaped grip covered in black embossed leather for fabric cover; in the same colour leather for leather cover. High backrest with a shoulder support with a forward curvature, covered in embossed leather for fabric cover; in the same colour leather for leather cover. Swivel chairs optionally available with height-adjustable lumbar support.

#### Cantilever chairs

Steel tube frame, bright chromium-plated, matt chromium-plated or colour coated. Exchangeable frame covering in black polyamide material, non-transparent or semi-transparent. Non-transparent material optionally covered on the front and with cut foam underlay. Crescent shaped grip covered in black embossed leather for fabric cover; in the same colour leather for leather cover.

### Armrests

#### Swivel and visitor chairs

Armrests in black, textured, glass fibre-reinforced polyamide. On request, with black, embossed leather pad for fabric cover; in the same colour leather for leather cover. On request, with armrests in die-cast aluminium, aluminium polished or bright chromium-plated with black leather pad for fabric cover; in the same colour leather for leather cover.

#### Cantilever chairs

Armrest pads in laminated beech, natural finish, optionally in polypropylene with black, embossed leather pad for fabric cover; in the same colour leather for leather cover.

### Standards

Modus Medium swivel chairs and conference chairs/visitor chairs conform to the Office Chair Standard DIN EN 1335, ANSI/BIFMA X 5.1, BS 5459 and other international office chair standards. They meet the requirements of category C of the Office Chair Standard DIN EN 1335.

Modus cantilever chairs conform to DIN 68878 – 1 and ANSI/BIFMA X 5.1.



## 28 range Modus Medium™

Page 2 of 2



281/5



281/6



283/7



282/5



284/7



282/6



287/7

- Standard feature
- Optional feature

### Frame

Coated	●	●	●
Polished aluminium	●	●	
Bright chromium-plated	●	●	●
Clear anodized			
Matt chromium-plated			●

### Upholstery

Backrest with black stretch material, semi-transparent	○	○	○
Backrest with black stretch material, non-transparent	●	●	●
Backrest upholstered on the front	○	○	○
Backrest covered on outer side	○	○	○
Fabric cover	●	●	●
Leather cover	●	●	●
Slim, leather-covered cushion			

### Features

Armrests in polyamide / polypropylene, black	●	●	
Armrests polished	○	○	
Armrests bright chromium-plated	○	○	
Armrests with leather pad	○	○	○
Armrests with laminated wood pad			●
Height-adjustable armrests			
Height-adjustable lumbar support	○		

# Modus® Executive.

## 28 range. Technical details.

### Function

Swivel chairs with luxurious backrest cushion and automatic synchro-adjustment: the seat/backrest angle adjusts automatically to the sitting position of the user. When leaning back, the backrest tension increases according to the need for additional support. Infinitely variable tension adjustment for the user. Forward position lockable by engaging lever. Gas lift, conforming to DIN 4550, for infinitely variable adjustment of seat height.

Swivel Conference/visitors chairs with automatic synchro-adjustment and infinitely variable height adjustment, optionally with rigid, four-arm seat bearer; alternatively also as a cantilever version.

### Frame

#### Swivel chairs

Die-cast aluminium 5-star base, coated, polished or bright chromium-plated.

Conference/visitor chairs with four-star base in die-cast aluminium, coated, polished or bright chromium-plated.

Twin wheel swivel castors in black polyamide with load-dependent braking, conforming to DIN EN 12529, as the standard version for carpeted floors, or with a grey polyurethane soft lining for hard floors. Anti-static castors on request.

Glides in black polyamide as the standard version for carpeted floors, or in black polyurethane for hard floors. Die-cast aluminium swing plates, polished or bright chromium-plated to match the star base.

Synchro-mechanism case in sheet steel, coated black. Model 281/91 and 282/91 with four-arm seat bearer in die-cast aluminium, polished or bright chromium-plated to match four-star base.

#### Cantilever chairs

Frame in round steel tube, bright chromium-plated or matt chromium-plated, with anti-tilt stoppers as the standard version for carpeted floors: with additional glides for hard floors, optionally with additional felt insert.

#### Seat

Seat shell in black, viscoelastic polypropylene. Seat upholstery: one-piece moulded polyurethane foam with exchangeable cover. Side facing in embossed leather in the same colour for leather cover.

### Backrests

#### Swivel chairs and visitor chairs

Frame in black, glass fibre-reinforced polyamide. Exchangeable frame covering in black polyamide material, with slim leather-covered cushion on seat and backrest. On request, outer side of backrest frame with cover.

Standard height backrest with a straight edge. High backrest with shoulder support with a forward curvature, with slim, leather-covered cushion.

#### Cantilever chairs

Steel tube frame, bright chromium-plated or matt chromium-plated to match frame. Exchangeable frame covering in black polyamide material, with slim leather-covered cushion on seat and backrest. On request, outer side of backrest frame with leather cover.

Backrest with a straight edge.

### Armrests

#### Swivel chairs

Armrests in black, textured, glass fibre-reinforced polyamide, with additional embossed leather pad in the same colour leather.

Optionally, with armrests in die-cast aluminium, aluminium polished or bright chromium-plated with leather pad and triple-sewn seam in the same colour leather.

#### Conference /visitor chairs

Armrests in die-cast aluminium, aluminium polished or bright chromium-plated, with leather pad and triple-sewn seam in the same colour leather.

#### Cantilever chairs

Armrest pads covered in the same colour leather.

### Standards

Modus Executive swivel chairs and conference chairs/visitor chairs conform to the Office Chair Standard DIN EN 1335, ANSI/BIFMA X 5.1, BS 5459 and other international office chair standards.

They meet the requirements of category C of the Office Chair Standard DIN EN 1335.

Modus Executive cantilever chairs conform to DIN 68878-1 and ANSI/BIFMA X 5.1.



## 28 range Modus Executive™

Page 2 of 2



- Standard feature
- Optional feature

### Frame

Coated

Polished aluminium



Bright chromium-plated



Clear anodized

Matt chromium-plated



### Upholstery

Backrest with black stretch material, semi-transparent

Backrest with black stretch material, non-transparent

Backrest with stretch material, with cushion

Outer side of backrest covered



Fabric cover

Leather cover

Slim, leather-covered cushion



### Features

Armrests in polyamide / polypropylene, black



Armrests polished



Armrests bright chromium-plated



Armrests with leather pad



Armrests with laminated wood pad

Height-adjustable armrests

Height-adjustable lumbar support